

BIOCLEAN FUSION

Non-sterile Polychloroprene Gloves

BFAP

About

BioClean Fusion Polychloroprene Gloves offer protection from a range of chemicals* and high tactility and comfort. The ultra clean glove is antistatic, double donnable and features a beaded cuff for strength and stability on the arm.

Specifications

COMPATIBILITY:

ISO Class 4

LENGTH:

290mm (11.4")

MATERIAL:

Polychloroprene

PROTEIN LEVEL:

Polychloroprene contains no natural latex proteins

SURFACE:

Finger-textured

SHAPE:


Ambidextrous

COLOUR:

Green

Features

- Low particulate count
- Powder-free & latex-free
- Excellent ESD properties
- Easy double-donning
- Chemical resistant*



ULTRA CLEAN

ANTISTATIC

DOUBLE-DONNABLE



Ms.G.Love© represents BioClean's range of cleanroom gloves



Quality Standards

- Manufactured in a facility holding ISO 9001: 2008 and 89/686/EEC Article 11b certifications
- Conforms to Category 3 - Complex Design Personal Protective Equipment PPE Directive 89/686/EEC
- Processed in an NEBB certified ISO Class 4 environment
- Complies with the requirements of Glove Standard EN420:2003 and EN374-1, 2 & 3:2003
- Physical properties comply with European Medical Glove Standard EN455-2:2009
- Suitable for contact with all foodstuffs.

Shelf Life & Storage

Five (5) years from date of manufacture.
Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD
Freedom From Holes	AQL 0.65 Performance Level 3	EN 374-2:2003
Glove Length +/-10mm (mm/inches)	290/11.4	EN 420:2003
Single Wall Thickness Minimum (mils/mm)	Cuff: 2.76/0.07 Palm: 3.94/0.10 Finger Tip: 4.72/0.12	EN 455-2:2009
Force At Break During Shelf Life	≥9 N	EN 455-2:2009

PALM WIDTHS (mm) ± 5mm						
SIZE	XSmall	Small	Medium	Large	XLarge	XXLarge
mm	76	86	95	106	115	120
TEST METHOD				EN 420:2003		

Glove Cleanliness Characteristics

PARTICLES			TYPICAL PARTICLE COUNT					TEST METHOD
≥ 0.5µm(counts/cm ²)			850					IEST-RP-CC005.4
TYPICAL EXTRACTABLE IONS								TEST METHOD
ANIONS	Fluoride	Chloride	Nitrite	Bromide	Nitrate	Phosphate	Sulphate	IEST-RP-CC005.4
(µg/cm ²)	ND	0.194	ND	ND	0.884	ND	0.025	
CATIONS	Lithium	Sodium	Ammonium	Potassium	Calcium	Magnesium	Zinc	
(µg/cm ²)	ND	0.099	0.003	0.315	0.652	0.007	ND	
ND = Not Detected, NT = Not Tested								



TO ORDER

Re-order code

BFAP-XS
BFAP-S
BFAP-M
BFAP-L
BFAP-XL
BFAP-XXL

Size

XSmall
Small
Medium
Large
XLarge
XXLarge

Packing

100 pieces per sealed inner PE bag; one inner PE bag per sealed outer PE bag; 10 outer bags per lined carton (1000 pieces)

For additional information visit us at www.bioclean.com, or call us at +44 1638 663338

Nitritex Ltd

Minton Enterprise Park
Oaks Drive
Newmarket, Suffolk
CB8 7YY
United Kingdom

BFAP/1806/PDS32

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

*Warning: No glove provides complete protection against all chemicals. Users must test the gloves against the particular chemicals and environment in which they will be used.

**Please see product validation pack or contact Ansell customer service for specific data on use of gloves with cytotoxic drugs. Gloves used for protection against such drugs must be selected specifically for the type of chemicals used.

Ansell, ® and TM are trademarks owned by Ansell Limited or one of its affiliates. © 2012 – 2018 Ansell Limited. All Rights Reserved.



Ansell

www.aminstruments.com